EEEEEEEEEEEE	DDDDDDDDD	DDD	TTT

EX

FFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFF	PPPPPPPPPPPPPPPPPPPPPPPPPPPPPPPPPPPPPP		22222222 22 22 22 22 22 22 22 22 22 22	HH HH HH HH HH HHHHHHHH HH HH HH HH HH	AAAAAA AA AA AA AA AA AA AA AA AA AA AA	AA	RRRRRRRI RRRRRRRI RR RR RR RRRRRRRI RRRRRR	R RF RF RF RF RF
		\$\$\$\$\$\$\$\$\$ \$\$\$\$\$\$\$\$\$\$ \$\$						
		\$\$ \$\$ \$\$ \$\$\$\$\$\$\$ \$\$\$\$\$\$\$ \$\$						

EDTS VO4-

RR

64

Si Ru El Li Le Me

0051

**F1

EDTSFPUTCHAR	EDT\$FPUTCHAR - store a character in the format Declarations	16-Sep-1984 00:28:45	VAX-11 Bliss-32 V4.0-742 Page 2
V04-000		14-Sep-1984 12:23:12	DISK\$VMSMASTER:[EDT.SRC]FPUTCHAR.BLI;1 (2)
53 545 556 557 559 661 663 665 667 669 771 778 778 778 778 881 883 884	0052 XSBTTL 'Declarations' 0053 TABLE OF CONTENTS: 0056 TABLE OF CONTENTS: 0057 REQUIRE 'EDTSRC:TRAROUNAM'; 0496 FORWARD ROUTINE EDT\$\$STORE_FMTCH : NOVALUE; 0498 INCLUDE FILES: 0500 INCLUDE FILES: 0502 INCLUDE FILES: 0503 REQUIRE 'EDTSRC:EDTREQ'; 0643 MACROS: 0644 MACROS: 0645 NONE 0645 EQUATED SYMBOLS: 0646 NONE 0647 NONE 0648 OWN STORAGE: 0650 NONE 0651 NONE 0652 INCLUDE FILES: 0653 EXTERNAL REFERENCES: 0653 INCLUDE FILES: 0655 INCLUDE FILES: 0656 INCLUDE FILES: 0657 INCLUDE FILES: 0658 INCLUDE FILES: 0659 INCLUDE FILES: 0650 INCLUDE FILES: 0651 INCLUDE FILES: 0652 INCLUDE FILES: 0653 INCLUDE FILES: 0654 INCLUDE FILES: 0655 INCLUDE FILES: 0656 INCLUDE FILES: 0657 INCLUDE FILES: 0658 INCLUDE FILES: 0659 INCLUDE FILES: 0650 INCLUDE FILES: 0650 INCLUDE FILES: 0651 INCLUDE FILES: 0652 INCLUDE FILES: 0653 INCLUDE FILES: 0653 INCLUDE FILES: 0654 INCLUDE FILES: 0655 INCLUDE FILES: 0656 INCLUDE FILES: 0657 INCLUDE FILES: 0658 INCLUDE FILES: 0659 INCLUDE FILES: 0659 INCLUDE FILES: 0650 INCLUDE FILES: 0651 INCLUDE FILES: 0652 INCLUDE FILES: 0653 INCLUDE FILES: 0654 INCLUDE FILES: 0655 INCLUDE FILES: 0656 INCLUDE FILES: 0657 INCLUDE FILES: 0658 INCLUDE FILES: 0659 INCLUDE FILES: 0650 INCLUDE FILES: 0650 INCLUDE FILES: 0650 INCLUDE FILES: 0651 INCLUDE FILES: 0652 INCLUDE FILES: 0653 INCLUDE FILES: 0654 INCLUDE FILES: 0655 INCLUDE FILES: 0656 INCLUDE FILES: 0657 INCLUDE FILES: 0658 INCLUDE FILES: 0659 INCLUDE FILES: 0650 INCLUDE FILES:		

......

......

```
EDTSFPUTCHAR - store a character in the format 16-Sep-1984 00:28:45 EDTSSTORE_FMTCH - store a character in the fo 14-Sep-1984 12:23:12
EDTSFPUTCHAR
V04-000
                                                                                                                          VAX-11 Bliss-32 V4.0-742 Page DISK$VMSMASTER:[EDT.SRCJFPUTCHAR.BLI;1
                                 *SBTTL 'EDT$$STORE_FMTCH - store a character in the format buffer'
   GLOBAL ROUTINE EDT$$STORE_FMTCH (
                                                                                                    ! Store a character in the format buffer ! The character to store
                                      ) : NOVALUE =
                                   FUNCTIONAL DESCRIPTION:
                                            Place a character in the formatted output buffer. If the pointer is at the end of the buffer then write out the line and start over again.
                                    FORMAL PARAMETERS:
                                                                  The character to put out.
                                    IMPLICIT INPUTS:
                                            EDT$$T_FMT_BUF
EDT$$A_FMT_CUR
EDT$$G_FMT_LNPOS
                                    IMPLICIT OUTPUTS:
                                            NONE
                                   ROUTINE VALUE:
                                            NONE
                                   SIDE EFFECTS:
   118
                                            NONE
    BEGIN
                                      EXTERNAL ROUTINE
                                            EDT$$OUT_FMTBUF;
                                     EXTERNAL

EDT$$T_FMT_BUF : BLOCK [CH$ALLOCATION (EDT$$K_FMT_BUFLEN)], ! The formatt

EDT$$A_FMT_CUR, ! Pointer to next character in above

EDT$$G_FMT_LNPOS; ! The current column number
                                                                                                                                     ! The formatted output buffer
                                      LOCAL
                                            SAV_LNPOS;
                                            END_BUF = CH$PTR (EDT$$T_FMT_BUF, EDT$$K_FMT_BUFLEN); ! Pointer to end of format buffer
                                   Check for end of buffer.
                                      IF CHSPTR_EQL (END_BUF, .EDT$$A_FMT_CUR)
```

EDT!

EDT\$FPUTCHAR V04-000 : 143 : 144 : 145 : 146 : 147 : 148 : 149 : 150 : 151	0713 2 THEN 0714 3 BEGIN 0715 3 SAV LI 0716 3 EDT\$\$ 0717 3 EDT\$\$ 0718 2 END;	character in the format 10 tore a character in the fo 10 tore a character in the format 10 tore a character in the fo 10 tore a character in the following the followi	N 4 6-Sep-1984 00:28:45 VAX-11 Bliss-32 V4.0-742 Page 4 4-Sep-1984 12:23:12 DISK\$VMSMASTER:[EDT.SRCJFPUTCHAR.BLI;1 (3) ! of routine EDT\$\$STORE_FMTCH
•			.TITLE EDT\$FPUTCHAR EDT\$FPUTCHAR - store a character in the format .IDENT \V04-000\ .EXTRN EDT\$\$OUT FMTBUF .EXTRN EDT\$\$T_FMT_BUF, EDT\$\$A_FMT_CUR .EXTRN EDT\$\$G_FMT_LNPOS .PSECT _EDT\$CODE,NOWRT, SHR, PIC,2
	0000000G	54 00000000G 00 9E 00002 53 00000000G 00 9E 00009 50 00000000G 00 9E 00010 50 63 D1 00017 00 12 0001A 64 D0 0001C 00 FB 0001F 64 52 D0 00026 65 D1 0001C 00 FB 0001F 66 52 D0 00026 67 D1 0001C 00 FB 0001C	MOVAB EDT\$\$A_FMT_CUR, R3 MOVAB END_BUF, R0 CMPL EDT\$\$A_FMT_CUR, R0 BNEQ 1\$ MOVL EDT\$\$G_FMT_LNPOS, SAV_LNPOS CALLS #0, EDT\$\$OUT_FMTBUF MOVL SAV_LNPOS, EDT\$\$G_FMT_LNPOS 0717

; Routine Size: 51 bytes. Routine Base: _EDT\$CODE + 0000

: 152 0722 1 0723 1 !<BLF/PAGE> EDTSFPUTCHAR EDTSFPUTCHAR - store a character in the format 16-Sep-1984 00:28:45 VAX-11 Bliss-32 V4.0-742 Page 5 V04-000 EDTSSTORE_FMTCH - store a character in the fo 14-Sep-1984 12:23:12 DISK\$VMSMASTER:[EDT.SRC]FPUTCHAR.BLI;1 (4)

155 0724 1 END ! of module EDTSFPUTCHAR

156 0725 1

177 0726 0 ELUDOM

PSECT SUMMARY

Name

Bytes

Attributes

_EDT\$CODE

51 NOVEC, NOWRT, RD, EXE, SHR, LCL, REL, CON, PIC, ALIGN(2)

Library Statistics

File	Total	Symbols Loaded	Percent	Pages Mapped	Processing Time
\$255\$DUA28: [EDT.SRC]EDT.L32:1 \$255\$DUA28: [EDT.SRC]PSECTS.L32:1	377	2	50	40	00:00.2

COMMAND QUALIFIERS

BLISS/CHECK=(FIELD, INITIAL, OPTIMIZE)/NOTRACEBACK/LIS=LIS\$: FPUTCHAR/OBJ=OBJ\$: FPUTCHAR MSRC\$: FPUTCHAR.BLI/UPDATE=(ENH\$: FPUTCHAR)

: Size: 51 code + 0 data bytes : Run Time: 00:09.6 : Elapsed Time: 00:11.3 : Lines/CPU Min: 4518 : Lexemes/CPU-Min: 12404 : Memory Used: 57 pages : Compilation Complete EDTS VO4-

; R

0134 AH-BT13A-SE

DIGITAL EQUIPMENT CORPORATION CONFIDENTIAL AND PROPRIETARY

